

# Revent Incorporated

## Price List

Effective May 1, 2015



In Bread We Trust



Revent Incorporated  
100 Ethel Road West  
Piscataway, NJ 08854



800-822-9642  
732-777-9433  
732-777-1187 Fax



[www.revent.com](http://www.revent.com)  
[info@revent.com](mailto:info@revent.com)

Continuous product development is a Revent policy. Therefore, we reserve the right to change specifications and prices without notice.

# Limited Warranty

LIST PRICING  
May 1, 2015

1. Revent products are warranted to the purchaser on whose premises they are originally installed ("Purchaser") to be free from defects in material and workmanship for a period of one (1) year from the date of original installation (the "Warranty Period"), but only as provided in this **LIMITED WARRANTY**.
2. Throughout the Warranty Period, Revent will repair or replace, at Revent's option and at no cost to Purchaser other than freight charges, any Revent product which Revent finds to be defective as a result of faulty material or workmanship, but only if all of the following conditions have been met:
  - (a) all Revent products involved have been properly installed and maintained, have been operated in conformity with information provided by Revent, and have not been moved since original installation,
  - (b) no Revent product involved has failed, or been altered or damaged or rendered inoperable, by accident, natural catastrophe, or act of war or unrest, or by abuse, misuse, modification, neglect, or attempted repair or other unauthorized conduct,
  - (c) Purchaser, immediately upon discovery of the claimed defect, notifies Revent thereof in writing, obtains Revent's permission to return the Revent product involved and Revent's instructions on how to do so and returns that product to Revent in accordance with Revent's instructions, freight prepaid, and
  - (d) Revent receives such notification and returned product, or examines the product involved at Purchaser's facility, as Revent chooses in its sole discretion within the Warranty Period. Revent's decision as to whether a Revent product is defective as a result of faulty material or workmanship shall be final.

## *Exclusions And Limitation Of Warranty*

3. **THIS LIMITED WARRANTY DOES NOT EXTEND TO, AND REVENT MAKES NO WARRANTY WHATSOEVER WITH RESPECT TO AND SHALL NOT BE RESPONSIBLE FOR, ANY OF THE FOLLOWING, ALL OF WHICH ARE THE SOLE RESPONSIBILITY OF THE CONTRACTOR THAT INSTALLS THE REVENT PRODUCTS INVOLVED OR OF THE PURCHASER:**
  - (a) compliance with any fire safety or other legal or regulatory requirement, local, state and national.
  - (b) proper installation of Revent products, including gas piping, water piping, electrical work and all other hook-ups, all of which must be done by licensed trades,
  - (c) duct work, exhaust fans other than the one draft induction fan that Revent includes with a Revent oven and venting,
  - (d) rigging, fork lifts, special moving equipment and assistance required to lift oven sections, and receipt and off-loading of Revent products upon delivery,
  - (e) tightening fittings and other minor adjustments of Revent products, and
  - (f) providing instruction (other than written operating and maintenance instructions) on how to operate and maintain Revent products.
  - (g) wear items including but not limited to light bulbs, thrust bearings, door lock bearings, belts, door gaskets, rack lift bushings and periodic cleaning of burners.
4. **THIS LIMITED WARRANTY DOES NOT EXTEND TO ANY DEFECT CAUSED BY INCORRECT INSTALLATION OF A REVENT PRODUCT, OR BY ABUSE, MISUSE, MODIFICATION, NEGLIGENCE, FAILURE TO PROPERLY MAINTAIN, OR IMPROPER USE OR IMPROPER OPERATION OR, ATTEMPT TO REPAIR A REVENT PRODUCT, OR TO ANY REVENT PRODUCT THAT HAS BEEN MOVED SINCE ITS ORIGINAL INSTALLATION.**
5. **THIS LIMITED WARRANTY SHALL BE VOID WITH RESPECT TO ANY REVENT PRODUCT THAT IS INSTALLED OR USED IN A PHYSICAL ENVIRONMENT THAT DOES NOT CONFORM TO A REQUIREMENT SPECIFIED BY REVENT,** including but not limited to any Revent product that is connected to any of (a) incorrect electrical voltage, (b) incorrect electrical frequency, (c) incorrect electrical amperage, (d) incorrect water pressure, (e) incorrect water temperature, (f) a water supply that does not include an adequate water filtration system, (g) incorrect gas pressure, or (h) venting that does not comply with Revent venting system diagrams and instructions.

**THIS LIMITED WARRANTY CONSTITUTES THE SOLE AND EXCLUSIVE WARRANTY OF REVENT AND IS IN LIEU OF ALL OTHER WARRANTIES, CONDITIONS AND GUARANTEES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND OF FITNESS FOR ANY PARTICULAR PURPOSE, ALL OF WHICH ARE SPECIFICALLY DISCLAIMED. NO OTHER WARRANTY, EXPRESS OR IMPLIED, WHETHER RELATING TO QUALITY OR OTHERWISE, AND WHETHER MADE BY ANY REPRESENTATIVE OR AGENT OF REVENT OR OTHERWISE, SHALL BE BINDING ON REVENT. REVENT SHALL NOT BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING BUT NOT LIMITED TO DAMAGES TO PROPERTY, DAMAGES FOR LOSS OF USE, LOSS OF TIME, LOSS OF BUSINESS OPPORTUNITY, OR LOSS OF PROFITS OR OF INCOME.**



In Bread We Trust



Revent Incorporated  
100 Ethel Road West  
Piscataway, NJ 08854



800-822-9642  
732-777-9433  
732-777-1187 Fax



www.revent.com  
info@revent.com

Continuous product development is a Revent policy. Therefore, we reserve the right to change specifications and prices without notice.

- ❑ Installation of all Revent equipment must be by a factory authorized installer for warranty to be valid. Installation will involve at least two trips to the site, one to erect the oven and one for start up, test bake and operation training.
- ❑ Installation price is based upon a normal ground floor installation with either a loading dock or a standard door with at least a 36" wide opening.
- ❑ Installation is during normal working hours, Monday-Friday 8:00 am to 5:00 pm.

## ***CUSTOMER RESPONSIBILITY FOR DELIVERY AND INSTALLATION:***

- ❑ ***GAS PIPING, WATER PIPING, ELECTRICAL WORK AND ALL HOOK UPS BY LICENSED TRADES***
- ❑ ***ALL DUCT WORK AND ADDITIONAL EXHAUST FANS (ONE DRAFT INDUCTION FAN IS INCLUDED) AND ANY VENTING.***
- ❑ ***ASSISTANCE WILL BE REQUIRED BY THE INSTALLER TO LIFT THE OVEN SECTIONS.***
- ❑ ***ANY RIGGING, FORK LIFTS OR SPECIAL MOVING EQUIPMENT THAT MAY BE REQUIRED.***
- ❑ ***THE RECEIPT AND OFF-LOADING OF OVEN UPON DELIVERY***
- ❑ ***ANY SALES TAX AS APPLICABLE***
- ❑ ***ALL FREIGHT CHARGES***



In Bread We Trust



Revent Incorporated  
100 Ethel Road West  
Piscataway, NJ 08854



800-822-9642  
732-777-9433  
732-777-1187 Fax



[www.revent.com](http://www.revent.com)  
[info@revent.com](mailto:info@revent.com)

Continuous product development is a Revent policy. Therefore, we reserve the right to change specifications and prices without notice.

# Revent Model 703U Multi Rack Oven

LIST PRICING  
May 1, 2015

## Revent Model 703 Standard Configuration

**\$83,900**

### Description

703 Oven Body- Gas Heated, 208/220V/3 ph/60 Hz  
GIAC Panel with 500 Programs, USB interface etc  
Rotating Platform (4 single or 2 double rack capacity)  
600 Series Deep Canopy  
Auto Damper  
Steam System - Normal Duty  
TCC Air Distribution

### Price

Inc.  
Inc.  
Inc.  
Inc.  
Inc.  
Inc.  
Inc.



**Factory Authorized Installation: \$4,300 (Net)** - Extended travel time may increase installation cost

## OVEN OPTIONS

| DESCRIPTION                         | LIST PRICE | DESCRIPTION             | LIST PRICE |
|-------------------------------------|------------|-------------------------|------------|
| <b>POWER OPTIONS</b>                |            | <b>DAMPER OPTIONS</b>   |            |
| Electric Heated 208/220V            | No charge  | N/A                     |            |
| Electric Heated 480V                | No charge  | <b>OTHER OPTIONS</b>    |            |
| 50 Hz. Electrical (Includes burner) | \$2,800    | Prison Security Package | \$2,700    |
| <b>BURNER OPTIONS</b>               |            | Pass through option     | \$ 20,950  |
| Propane burner (Bentone)            | \$1,380    |                         |            |

- Maximum Heating Capacity Gas/Oil 556,000 BTU/H (3PH 220-230 V, 35 A electric supply)
- Maximum Heating Capacity Electric Oven: 275 amps at 208V
- Approximate Shipping Weight: 5,950 lbs. Skidded (Actual weight depends on options )
- FOB: Piscataway, NJ 08854; Shipped on (3) skids and (1) crate
- Minimum intake opening 49.2" x 85.5" without skid. Minimum tilt up height 137.8" without motor.

**ORDER NOTE: Measurement of racks for stops on platform needed with order.**



In Bread We Trust



Revent Incorporated  
100 Ethel Road West  
Piscataway, NJ 08854



800-822-9642  
732-777-9433  
732-777-1187 Fax



www.revent.com  
info@revent.com

Continuous product development is a Revent policy. Therefore, we reserve the right to change specifications and prices without notice.

# Revent Model 620U Double Rack Oven

LIST PRICING  
May 1, 2015

## Revent Model 620 Standard Configuration

**\$46,500**

### Description

620 Oven Body- Gas Heated, 208/220V/3 ph/60 Hz.  
GIAC Panel with 500 Programs, USB interface etc  
"A" Style Lift  
600 Series Deep Canopy  
Automatic Damper  
Steam System - Normal Duty  
TCC Air Distribution with perforated panels  
Standard Packing flat on skids

### Price

Inc.  
Inc.  
Inc.  
Inc.  
Inc.  
Inc.  
Inc.  
Inc.



**Factory Authorized Installation: \$3,900 (Net)** - Extended travel time may increase installation cost

## OVEN OPTIONS

| DESCRIPTION                         | LIST PRICE | DESCRIPTION                 | LIST PRICE |
|-------------------------------------|------------|-----------------------------|------------|
| <b>POWER OPTIONS</b>                |            | <b>DAMPER OPTIONS</b>       |            |
| 50 Hz. Electrical (Includes burner) | N/A        | N/A                         |            |
| <b>RACK LIFT OPTIONS</b>            |            | <b>STEAM SYSTEM OPTIONS</b> |            |
| "C" Style Lift                      | No Charge  | Heavy Duty Steam            | \$1,500    |
| Baxter Style Lift                   | No Charge  | <b>OTHER OPTIONS</b>        |            |
| Rotating Platform                   | \$2,400    | Soft Start Rotation         | N/A        |

- Maximum Heating Capacity Gas/Oil 375,000 BTU/H (3PH 220-230 V, 20 A electric supply)
- Maximum Heating Capacity Electric Oven: 186 amps at 208V; 95 amps at 480V
- Approximate Shipping Weight: 4,200 lbs. Skidded; HD Steam Option - 4,730 lbs. (Actual weight depends on options )
- FOB: Piscataway, NJ 08854; Oven shipped on (3) skids and (1) crate



In Bread We Trust



Revent Incorporated  
100 Ethel Road West  
Piscataway, NJ 08854



800-822-9642  
732-777-9433  
732-777-1187 Fax



www.revent.com  
info@revent.com

Continuous product development is a Revent policy. Therefore, we reserve the right to change specifications and prices without notice.

# Revent Model 724U Double Rack Oven

LIST PRICING

May 1, 2015

## Revent Model 724 Standard Configuration

**\$40,100**

### Description

724 Oven Body- Gas Heated, 208/220V/3 ph/60 Hz.

GIAC Panel with 500 Programs, USB interface etc

"A" Style Lift

700 Series Deep Canopy

Automatic Damper

Steam System - Normal Duty

TCC Air Distribution

Standard Packing flat on skids

### Price

Inc.

Inc.

Inc.

Inc.

Inc.

Inc.

Inc.

Inc.



**Factory Authorized Installation: \$3,300 (Net)** - Extended travel time may increase installation cost

## OVEN OPTIONS

| DESCRIPTION  | LIST PRICE | DESCRIPTION  | LIST PRICE |
|--|------------|--|------------|
| <b>POWER OPTIONS</b>   |            | <b>CANOPY OPTIONS</b>  |            |
| Electric Heated 208/220V or 480V                                       | No Charge  | 700 Series Food Service (Type 1 hood)  | \$1,550    |
| 50 Hz. Electrical (Includes burner)                                    | \$1,850    | <b>PACKING OPTIONS</b>   |            |
| <b>RACK LIFT OPTIONS</b>   |            | Oven Shipped Assembled (Net)   | \$900      |
| "C" Style Lift   | No Charge  | <b>OTHER OPTIONS</b>   |            |
| Baxter Style Lift  | No Charge  | Left Hinged Door   | \$950      |
| Dahlen Style Lift  | \$1,250    | Rear Window  | \$9,900    |
| Dahlen Style Lift w/floor bracket                                      | \$1,950    | Prison Security Package  | \$1,800    |
| "F" Style Food Service Lift  | \$1,700    | Soft Start Rotation  | \$900      |
| Lucks Style Lift   | \$800      | Core Temperature Probe (Requires "F" lift)                                     | \$2,800    |
| Rotating Platform  | \$2,200    | Pass through option  | \$26,000   |
| <b>STEAM SYSTEM OPTIONS</b>  |            | Bentone burner for Propane   | \$1,100    |
| Heavy Duty Steam   | \$950      |  |            |
| Replace std steam system with Connection kit for External steam boiler | -\$600     | USDA package. (Upgrade of Stainless to A304, recommended when cooking protein) | \$9,500    |

- Maximum Heating Capacity Gas/Oil 343,000 BTU/H (3PH 220-230 V, 16 A electric supply)
- Maximum Heating Capacity Electric Oven: 186 amps at 208V; 95 amps at 480V
- Approximate Shipping Weight: 4,200 lbs. Skidded (Actual weight depends on options )
- FOB: Piscataway, NJ 08854; Oven shipped on (3) skids and (1) crate
- Minimum intake opening 34.5" x 69.3" without skid. Minimum tilt up height 112.2" without motor.



In Bread We Trust



Revent Incorporated  
100 Ethel Road West  
Piscataway, NJ 08854



800-822-9642  
732-777-9433  
732-777-1187 Fax



www.revent.com  
info@revent.com

Continuous product development is a Revent policy. Therefore, we reserve the right to change specifications and prices without notice.

# Revent Model 726U Single Rack Oven

LIST PRICING

May 1, 2015

## Revent Model 726 Standard Configuration

**\$32,700**

### Description

726 Oven Body- Gas Heated, 208/220V/3 ph/60 Hz.  
GIAC Panel with 500 Programs, USB interface etc  
"A" Style Lift  
700 Series Deep Canopy  
Automatic Damper  
Steam System - Normal Duty  
TCC Air Distribution  
Standard Packing flat on skids

### Price

Inc.  
Inc.  
Inc.  
Inc.  
Inc.  
Inc.  
Inc.  
Inc.



**Factory Authorized Installation: \$2,800 (Net)** - Extended travel time may increase installation cost

## OVEN OPTIONS

| DESCRIPTION                         | LIST PRICE | DESCRIPTION                                | LIST PRICE |
|-------------------------------------|------------|--|------------|
| <b>POWER OPTIONS</b>                |            | <b>CANOPY OPTIONS</b>                      |            |
| Electric Heated 208/220V or 480V    | No Charge  | 700 Series Food Service (Type 1 hood)      | \$1,550    |
| 50 Hz. Electrical (Includes burner) | \$1,750    | <b>PACKING OPTIONS</b>                     |            |
| <b>RACK LIFT OPTIONS</b>            |            | Oven Shipped Assembled (Net)               | \$600      |
| "C" Style Lift                      | No Charge  | <b>OTHER OPTIONS</b>                       |            |
| Baxter Style Lift                   | No Charge  | Left Hinged Door                           | \$800      |
| Dahlen Style Lift                   | \$1,200    | Prison Security Package                    | \$1,850    |
| Dahlen Style Lift w/floor bracket   | \$1,950    | Soft Start Rotation                        | \$900      |
| "F" Style Food Service Lift         | \$1,700    | Core Temperature Probe (Requires "F" lift) | \$2,800    |
| Lucks Style Lift                    | \$800      | Bentone burner for Propane                 | \$1,100    |
| Rotating Platform                   | \$1,800    | <b>STEAM SYSTEM OPTIONS</b>                |            |
|                                     |            | Heavy Duty Steam                           | \$850      |

- Maximum Heating Capacity Gas/Oil 149,000 BTU/H (3PH 220-230 V, 16 A electric supply)
- Maximum Heating Capacity Electric Oven: 105 amps at 208V; 54 amps at 480V
- Approximate Shipping Weight: 2,838 lbs. Skidded (Actual weight depends on options )
- FOB: Piscataway, NJ 08854; Oven shipped on (2) skids and (1) crate
- Minimum intake opening 39" x 56" without skid. Minimum tilt up height 106" without motor.



In Bread We Trust



Revent Incorporated  
100 Ethel Road West  
Piscataway, NJ 08854



800-822-9642  
732-777-9433  
732-777-1187 Fax



www.revent.com  
info@revent.com

Continuous product development is a Revent policy. Therefore, we reserve the right to change specifications and prices without notice.



# Revent Model ONE39 Mini Rotating Oven & Proofer

LIST PRICING

May 1, 2015

**Revent Model ONE39 Mini Oven Gas** \$22,500

**Available for delivery from September 1, 2015**

## Description

739 Oven, Gas Heated, 208/220V/3 ph/60 Hz.  
Round bake chamber and sliding door  
GIAC Touchscreen control with 500 Programs,  
8 Standard baking tray (18"x26") capacity  
Auto Damper  
Self contained Revent steam system  
TCC Air Distribution panel  
Standard Packing flat on skid

**Revent Model ONE39 Mini Oven Electric** \$21,000

**Available for delivery from May 1, 2015**

## Description

739 Oven, Electrically Heated, 208/220V/3 ph/60 Hz.  
Round bake chamber and sliding door  
GIAC Touchscreen control with 500 Programs  
8 Standard baking tray (18"x26") capacity  
Auto Damper  
Self contained Revent steam system  
TCC Air Distribution panel  
Standard Packing flat on skid

## Options

## Price

|   |         |
|---|---------|
| Proofer base with automatic steam and 16 pan capacity | \$6,500 |
| Stand; Stainless with pan slides                      | \$1,950 |



Picture above shows oven with optional Proofer base

## **Factory Authorized Installation:**

**Factory Assembled \$1,650\* (Net)**

**Shipped knocked down and assembled on site \$2,500\* (Net)**

\*Extended travel time may increase installation cost

- Maximum Heating Capacity Gas/Oil 50,000 BTU/H
- Approximate Shipping Weight: 1500 lbs. Skidded (Actual weight depends on options)
- FOB: Piscataway, NJ 08854; Shipped on 1 skid
- Minimum intake opening Factory Assembled: 42.1"W x 84.0"L without skid.
- Minimum intake opening Assembled on site: Standard 36" door



In Bread We Trust



Revent Incorporated  
100 Ethel Road West  
Piscataway, NJ 08854



800-822-9642  
732-777-9433  
732-777-1187 Fax



www.revent.com  
info@revent.com

Continuous product development is a Revent policy. Therefore, we reserve the right to change specifications and prices without notice.



# Revent P7100 Proofer

LIST PRICING  
May 1, 2015

## Revent P7100 Proofer

- Accommodates 1 to 8 single racks or 1 to 4 double racks
- Available with or without floors
- Electric Heated
- Revent Airwash humidification system
- Digital controls for time, temperature and humidity
- Interior and exterior stainless steel construction
- Shipped knocked down



| MODEL  | NO. OF RACKS<br>SINGLE OR<br>DOUBLE | NO. OF<br>DOORS | HEATING<br>CAPACITY | INSIDE<br>DIMENSIONS<br>(W X D X H) | OUTSIDE<br>DIMENSIONS<br>(W X D X H) | LIST<br>PRICE* | FLOOR | INSTALL<br>PRICE<br>(NET) ** |
|--------|-------------------------------------|-----------------|---------------------|-------------------------------------|--------------------------------------|----------------|-------|------------------------------|
| P7111  | 1 single                            | 1               | 3.3 kw              | 28" x 36" x 74"                     | 36.5" x 45.5" x 95.5"                | \$10,300       | \$420 | \$1,300                      |
| P7112  | 2 singles or 1 double               | 1               | 3.3 kw              | 32.5" x 42" x 74"                   | 41" x 52" x 95.5"                    | \$10,950       | \$490 | \$1,450                      |
| P7121  | 2 singles or 1 double               | 2               | 3.3 kw              | 46" x 36" x 74"                     | 54.5" x 45.5" x 95.5"                | \$12,050       | \$580 | \$1,550                      |
| P7122  | 4 singles or 2 doubles              | 2               | 5 kw                | 59" x 42" x 74"                     | 67.5" x 52" x 95.5"                  | \$13,100       | \$700 | \$1,900                      |
| P7123  | 6 singles or 3 doubles              | 2               | 5 kw                | 59" x 66" x 74"                     | 67.5" x 76" x 95.5"                  | \$14,400       | \$750 | \$2,100                      |
| P7124W | 8 singles or 4 doubles              | 2               | 5 kw                | 75" x 66" x 74"                     | 83.5" x 73" x 95.5"                  | \$17,050       | N/A   | \$2,300                      |
| P7124D | 8 singles or 4 doubles              | 2               | 5 kw                | 59" x 76" x 74"                     | 68" x 85" x 95.5"                    | \$17,050       | N/A   | \$2,300                      |
| P7134  | 12 singles or 6 doubles             | 2               | 10 kw               | 90" x 80" x 77"                     | 105" x 88" x 97"                     | \$27,000       | N/A   | \$2,600                      |

OPTIONS: Prison Security Package \$800

\* List price is with no floor

\*\*Extended travel time may increase installation cost



In Bread We Trust



Revent Incorporated  
100 Ethel Road West  
Piscataway, NJ 08854



800-822-9642  
732-777-9433  
732-777-1187 Fax



www.revent.com  
info@revent.com

Continuous product development is a Revent policy. Therefore, we reserve the right to change specifications and prices without notice.

# Revent PR7100 Proofer/Retarder

LIST PRICING  
May 1, 2015

## Revent PR7100 Proofer/Retarder

- Programmable control with up to 7 day cycle or Easy to use Manual mode
- Refrigeration (R404 Refrigerant) with 8,600 btu capacity
- Medium temperature cooling coil with Cool mist capacity (humidifying above 40F)
- Revent's airwash humidifier
- Model 7111 and 7112 has remote mount refrigeration units as standard
- Interior and exterior stainless steel construction
- 208/220V/3 phase/60 Hz.



| MODEL     | NO. OF RACKS<br>SINGLE OR<br>DOUBLE | NO. OF<br>DOORS | HEATING<br>CAPACITY | INSIDE<br>DIMENSIONS<br>(W X D X H) | OUTSIDE<br>DIMENSIONS<br>(W X D X H) | LIST<br>PRICE* | FLOOR | INSTALL<br>PRICE<br>(NET) ** |
|-----------|-------------------------------------|-----------------|---------------------|-------------------------------------|--------------------------------------|----------------|-------|------------------------------|
| PR7111*** | 1 single                            | 1               | 3.3 kw              | 28" x 36" x 74"                     | 36.5" x 45.5" x 95.5"                | \$15,700       | \$400 | \$1,700                      |
| PR7112*** | 2 singles or 1 double               | 1               | 3.3 kw              | 32.5" x 42" x 74"                   | 41" x 52" x 95.5"                    | \$16,850       | \$470 | \$1,800                      |
| PR7121    | 2 singles or 1 double               | 2               | 3.3 kw              | 46" x 36" x 74"                     | 54.5" x 45.5" x 95.5"                | \$17,850       | \$560 | \$1,700                      |
| PR7122    | 4 singles or 2 doubles              | 2               | 5 kw                | 59" x 42" x 74"                     | 67.5" x 52" x 95.5"                  | \$19,100       | \$670 | \$1,800                      |
| PR7123    | 6 singles or 3 doubles              | 2               | 5 kw                | 59" x 66" x 74"                     | 67.5" x 76" x 95.5"                  | \$22,350       | \$730 | \$2,300                      |
| PR7124W   | 8 singles or 4 doubles              | 2               | 5 kw                | 75" x 66" x 74"                     | 83.5" x 73" x 95.5"                  | \$25,900       | N/A   | \$2,600                      |
| PR7124D   | 8 singles or 4 doubles              | 2               | 5 kw                | 59" x 76" x 74"                     | 68" x 85" x 95.5"                    | \$25,900       | N/A   | \$2,600                      |

OPTIONS: -Prison Security Package \$800

\*List price is with no floor

\*\*Extended travel time may increase installation cost

\*\*\* The 7111 and 7112 Proofer-Retarders have Remote mounted condensing units as standard due to the lack of space on the roof of the box. Condensing units are mounted in a frame prepared for mounting on a wall or ceiling. Please specify if the condensing unit will be placed indoor or outdoor.



In Bread We Trust



Revent Incorporated  
100 Ethel Road West  
Piscataway, NJ 08854



800-822-9642  
732-777-9433  
732-777-1187 Fax



www.revent.com  
info@revent.com

Continuous product development is a Revent policy. Therefore, we reserve the right to change specifications and prices without notice.

**LIST PRICING**  
**May 1, 2015**

- Foamed in place 4” insulated walls and 4” roof with high density urethane, tongue and groove extrusion cam lock frames.
- Number of doors and Pass-through designs per customers specification
- 24Ga. Stainless steel construction.
- Interior and exterior of doors have horizontally mounted grab bars.
- (1) row of extruded aluminum bumper rails on interior side and back walls.
- No floor
- Includes EB10 Humidification Units with digital controls for time, temperature and humidity
- 208/220V/3 phase/60 Hz
- NSF & UL approved construction

Architectural floor plan of a large rectangular room, oriented horizontally. The overall dimensions are 26'-11" wide by 17'-10" deep. The plan shows a central area with 10 tables labeled "33x25" and 40 chairs. There are four "HUMIDIFIER" units, one in each corner. The room has a drop ceiling with a grid of 2' x 2' tiles. The walls are 12" thick. The plan includes dimensions for the room, tables, chairs, and humidifiers.



Continuous product development is a Revent policy. Therefore, we reserve the right to change specifications and prices without notice.

# Revent Proofer & Proofer/Retarder Humidifiers

LIST PRICING

May 1, 2015

## Revent Humidifier Proofer EB-10

- Revent Air Wash System
- Electrically Heated
- Up to 6 units can be connected to the same control panel for larger rooms.

## Revent Humidifier Proofer/ Retarder EBK-10

- Same features as EB-10 units but feature Retarding/Proofing combination.



### HUMIDIFIER PROOFERS

| MODEL  | HEATING  | HEATING CAPACITY            | COOLING CAPACITY<br>BTU | PROOFING ROOM<br>FLOOR AREA | SHIPPING<br>WEIGHT | LIST<br>PRICE | INSTALL PRICE<br>(NET) * |
|--------|----------|-----------------------------|-------------------------|-----------------------------|--------------------|---------------|--------------------------|
| 1xEB10 | Electric | 10 kW<br>27.6 AMPS at 220V  | -                       | Up to 65 Sq. Ft.            | 278 lbs.           | \$9,300       | \$1,050                  |
| 2xEB10 | Electric | 20 kW<br>55.2 AMPS at 220V  | -                       | 66-130 Sq. Ft.              | 375 lbs.           | \$15,050      | \$1,150                  |
| 3xEB10 | Electric | 30 kW<br>82.8 AMPS at 220V  | -                       | 131-195 Sq. Ft.             | 472 lbs.           | \$22,750      | \$1,450                  |
| 4xEB10 | Electric | 40 kW<br>110.4 AMPS at 220V | -                       | 196-260 Sq. Ft.             | 569 lbs.           | \$29,150      | \$1,550                  |
| 6xEB10 | Electric | 60 kW<br>165.6 AMPS at 220V | -                       | 260—390 Sq. Ft.             | 763 lbs.           | \$39,250      | \$1,950                  |

### HUMIDIFIER PROOFER/RETARDERS

|         |          |                             |        |                  |          |          |         |
|---------|----------|-----------------------------|--------|------------------|----------|----------|---------|
| 1xEBK10 | Electric | 10 kW<br>33.5 AMPS at 220V  | 8,800  | Up to 65 Sq. Ft. | 366 lbs. | \$15,950 | \$1,100 |
| 2xEBK10 | Electric | 20 kW<br>67 AMPS at 220V    | 17,600 | 66-130 Sq. Ft.   | 447 lbs. | \$22,950 | \$1,250 |
| 3xEBK10 | Electric | 30 kW<br>100.5 AMPS at 220V | 26,400 | 131-195 Sq. Ft.  | 728 lbs. | \$32,300 | \$1,550 |
| 4xEBK10 | Electric | 40 kW<br>134 AMPS at 220V   | 35,200 | 196-260 Sq. Ft.  | 909 lbs. | \$42,750 | \$1,700 |

NOTE: Expansion, compression & solenoid supplied by others

\* Extended travel time may increase installation cost

- Electric: 208/220V/3 phase/60 Hz.
- Contact Factory for Larger Sizes & Other Electrics



In Bread We Trust



Revent Incorporated  
100 Ethel Road West  
Piscataway, NJ 08854



800-822-9642  
732-777-9433  
732-777-1187 Fax



www.revent.com  
info@revent.com

Continuous product development is a Revent policy. Therefore, we reserve the right to change specifications and prices without notice.

# Revent Electric Deck Oven

LIST PRICING

May 1, 2015

## Revent Modular Deck Oven –Digital controls

- Electrically Heated
- 9.6" High Crown
- Individually controlled decks with 3-zone temperature control (Top, bottom and front)
- Self contained steam system in each deck
- Clay soles for better heat transfer and crust
- High temp, 592F
- Stainless steel construction
- 208/220V/3 Phase/60 Hz or 460/480V/3 Phase 60/Hz
- Can be configured with one power supply per oven or separate power supplies per deck



| 2 PAN US (18" x 26") WIDE DECK OVEN<br>BAKING SURFACE PER DECK: 42" x 28" |                  |  |            | 3 PAN US (18 x 26") WIDE DECK OVEN<br>BAKING SURFACE PER DECK: 56" x 28" |  |            |
|---|------------------|--|------------|--|--|------------|
| NO. OF DECKS  | HEATING CAPACITY | EXTERIOR DIMENSION WITH LEGS & CASTORS | LIST PRICE | HEATING CAPACITY   | EXTERIOR DIMENSION WITH LEGS & CASTORS | LIST PRICE |
| 2   | 16.7 kW          | 58.3"W x 35.6"D x 69.1"H               | \$26,800   | 22.1 kW  | 72.3"W x 35.6"D x 69.1"H               | \$28,600   |
| 3   | 25.0 kW          | 58.3"W x 35.6"D x 75.8"H               | \$35,200   | 33.2 kW  | 72.3"W x 35.6"D x 75.8"H               | \$37,200   |
| 4   | 33.4 kW          | 58.3"W x 35.6"D x 75.8"H               | \$47,100   | 44.3 kW  | 72.3"W x 35.6"D x 75.8"H               | \$49,350   |

Factory Authorized Installation:

Installation Standard unit: \$1,300\*(Net)

Oven shipped knocked down and assembled on site: \$2,600\* (Net)

\*Extended travel time may increase installation cost

**STOCK ITEMS:** 2 pan 2 deck, 2 pan 3 deck and 3 pan 3 deck are inventory items available with 2-4 week lead times. All other deck oven configurations have a 10-12 week lead time.



In Bread We Trust



Revent Incorporated  
100 Ethel Road West  
Piscataway, NJ 08854



800-822-9642  
732-777-9433  
732-777-1187 Fax



www.revent.com  
info@revent.com

Continuous product development is a Revent policy. Therefore, we reserve the right to change specifications and prices without notice.

# Revent Oven Racks for single rack ovens (Model 726)

LIST PRICING  
May 1, 2015


## Revent "A" Style Baking Racks

- Engineered for use in Revent Ovens
- Stainless Steel or Aluminum
- High Temperature Casters
- 18" x 26" pan racks



| REVENT MODEL NO.                | APPROX. UNIT<br>WEIGHT LBS. | SPACING | SHELVES | LIST PRICE |
|---------------------------------|-----------------------------|---------|---------|------------|
| <b>SINGLE END LOAD "A" LIFT</b> |                             |         |         |            |
| <i>ALUMINUM</i>                 |                             |         |         |            |
| APR 1018/6 ROR                  | 41                          | 6"      | 10      | \$562      |
| APR 1218/5 ROR                  | 43                          | 5"      | 12      | \$615      |
| APR 1518/4 ROR                  | 45                          | 4"      | 15      | \$679      |
| APR 2018/3 ROR                  | 49                          | 3"      | 20      | \$737      |
| <i>STAINLESS STEEL</i>          |                             |         |         |            |
| SPR 1018/6 ROR                  | 63                          | 6"      | 10      | \$817      |
| SPR 1218/5 ROR                  | 67                          | 5"      | 12      | \$849      |
| SPR 1518/4 ROR                  | 72                          | 4"      | 15      | \$933      |
| SPR 2018/3 ROR                  | 82                          | 3"      | 20      | \$1,020    |

|                                  |    |    |    |       |
|----------------------------------|----|----|----|-------|
| <b>SINGLE SIDE LOAD "A" LIFT</b> |    |    |    |       |
| <i>ALUMINUM</i>                  |    |    |    |       |
| APR 1026/6 ROR                   | 40 | 6" | 10 | \$573 |
| APR 1226/5 ROR                   | 41 | 5" | 12 | \$615 |
| APR 1526/4 ROR                   | 43 | 4" | 15 | \$658 |
| APR 2026/3 ROR                   | 46 | 3" | 20 | \$721 |
| <i>STAINLESS STEEL</i>           |    |    |    |       |
| SPR 1026/6 ROR                   | 59 | 6" | 10 | \$769 |
| SPR 1226/5 ROR                   | 61 | 5" | 12 | \$817 |
| SPR 1526/4 ROR                   | 65 | 4" | 15 | \$838 |
| SPR 2026/3 ROR                   | 71 | 3" | 20 | \$913 |



In Bread We Trust



Revent Incorporated  
100 Ethel Road West  
Piscataway, NJ 08854



800-822-9642  
732-777-9433  
732-777-1187 Fax



www.revent.com  
info@revent.com

Continuous product development is a Revent policy. Therefore, we reserve the right to change specifications and prices without notice.



# Revent Oven Racks for single rack ovens (Model 726)

LIST PRICING  
May 1, 2015


## Revent "C" Style Baking Racks

- Engineered for use in Revent Ovens
- Stainless Steel or Aluminum
- High Temperature Casters
- 18" x 26" pan racks



| REVENT MODEL NO.                | APPROX. UNIT WEIGHT LBS. | SPACING | SHELVES | LIST PRICE |
|---------------------------------|--------------------------|---------|---------|------------|
| <b>SINGLE END LOAD "C" LIFT</b> |                          |         |         |            |
| <i>ALUMINUM</i>                 |                          |         |         |            |
| APR1018/6RORC                   | 46                       | 6"      | 10      | \$615      |
| APR1218/5RORC                   | 47                       | 5"      | 12      | \$652      |
| APR1518/4RORC                   | 50                       | 4"      | 15      | \$721      |
| APR2018/3RORC                   | 54                       | 3"      | 20      | \$796      |
| <i>STAINLESS STEEL</i>          |                          |         |         |            |
| SPR1018/6RORC                   | 68                       | 6"      | 10      | \$827      |
| SPR1218/5RORC                   | 72                       | 5"      | 12      | \$859      |
| SPR1518/4RORC                   | 77                       | 4"      | 15      | \$933      |
| SPR2018/3RORC                   | 87                       | 3"      | 20      | \$1,039    |

|                                  |    |    |    |         |
|----------------------------------|----|----|----|---------|
| <b>SINGLE SIDE LOAD "C" LIFT</b> |    |    |    |         |
| <i>ALUMINUM</i>                  |    |    |    |         |
| APR1026/6RORC                    | 42 | 6" | 10 | \$626   |
| APR1226/5RORC                    | 44 | 5" | 12 | \$679   |
| APR1526/4RORC                    | 45 | 4" | 15 | \$743   |
| APR2026/3RORC                    | 48 | 3" | 20 | \$817   |
| <i>STAINLESS STEEL</i>           |    |    |    |         |
| SPR1026/6RORC                    | 67 | 6" | 10 | \$833   |
| SPR1226/5RORC                    | 70 | 5" | 12 | \$859   |
| SPR1526/4RORC                    | 73 | 4" | 15 | \$913   |
| SPR2026/3RORC                    | 79 | 3" | 20 | \$1,008 |



In Bread We Trust



Revent Incorporated  
100 Ethel Road West  
Piscataway, NJ 08854



800-822-9642  
732-777-9433  
732-777-1187 Fax



www.revent.com  
info@revent.com

Continuous product development is a Revent policy. Therefore, we reserve the right to change specifications and prices without notice.

# Revent Oven Racks for double rack ovens (Model 724 & 620)

LIST PRICING


May 1, 2015

## Revent "A" Style Baking Racks

- Engineered for use in Revent Ovens
- Stainless Steel or Aluminum
- Single or Double Racks.
  - NOTE: only 1 A-lift rack (single or double) can be loaded at a time!

| REVENT MODEL NO.                 | APPROX. UNIT<br>WEIGHT LBS. | SPACING | SHELVES | LIST PRICE |
|----------------------------------|-----------------------------|---------|---------|------------|
| <b>SINGLE SIDE LOAD "A" LIFT</b> |                             |         |         |            |
| <i>ALUMINUM</i>                  |                             |         |         |            |
| APR 1026/6 ROR                   | 40                          | 6"      | 10      | \$573      |
| APR 1226/5 ROR                   | 41                          | 5"      | 12      | \$615      |
| APR 1526/4 ROR                   | 43                          | 4"      | 15      | \$658      |
| APR 2026/3 ROR                   | 46                          | 3"      | 20      | \$721      |
| <i>STAINLESS STEEL</i>           |                             |         |         |            |
| SPR 1026/6 ROR                   | 59                          | 6"      | 10      | \$769      |
| SPR 1226/5 ROR                   | 61                          | 5"      | 12      | \$817      |
| SPR 1526/4 ROR                   | 65                          | 4"      | 15      | \$838      |
| SPR 2026/3 ROR                   | 71                          | 3"      | 20      | \$913      |

|                                  |     |    |    |         |
|----------------------------------|-----|----|----|---------|
| <b>DOUBLE SIDE LOAD "A" LIFT</b> |     |    |    |         |
| <i>ALUMINUM</i>                  |     |    |    |         |
| APRD 1026/6 ROR                  | 65  | 6" | 10 | \$827   |
| APRD 1226/5 ROR                  | 68  | 5" | 12 | \$881   |
| APRD 1526/4 ROR                  | 73  | 4" | 15 | \$902   |
| APRD 2026/3 ROR                  | 80  | 3" | 20 | \$965   |
| <i>STAINLESS STEEL</i>           |     |    |    |         |
| SPRD 1026/6 ROR                  | 88  | 6" | 10 | \$1,103 |
| SPRD 1226/5 ROR                  | 94  | 5" | 12 | \$1,231 |
| SPRD 1526/4 ROR                  | 104 | 4" | 15 | \$1,327 |
| SPRD 2026/3 ROR                  | 120 | 3" | 20 | \$1,602 |



In Bread We Trust



Revent Incorporated  
100 Ethel Road West  
Piscataway, NJ 08854



800-822-9642  
732-777-9433  
732-777-1187 Fax



www.revent.com  
info@revent.com

Continuous product development is a Revent policy. Therefore, we reserve the right to change specifications and prices without notice.

# Revent Oven Racks for double rack ovens (Model 724 & 620)

LIST PRICING


May 1, 2015

## Revent "C" Style Baking Racks

- Engineered for use in Revent Ovens
- Stainless Steel or Aluminum
- Single or Double Racks
  - When using Single racks in a Double rack oven, SIDE load racks must be used in order to load (2) single racks into the ovens.
- High Temperature Casters
- 18" x 26" or 20"x 30" Pans versions available



| REVENT MODEL NO.                 | APPROX. UNIT WEIGHT LBS. | SPACING | SHELVES | LIST PRICE |
|----------------------------------|--------------------------|---------|---------|------------|
| <b>SINGLE SIDE LOAD "C" LIFT</b> |                          |         |         |            |
| <i>ALUMINUM</i>                  |                          |         |         |            |
| APR1026/6RORC                    | 42                       | 6"      | 10      | \$626      |
| APR1226/5RORC                    | 44                       | 5"      | 12      | \$679      |
| APR1526/4RORC                    | 45                       | 4"      | 15      | \$743      |
| APR2026/3RORC                    | 48                       | 3"      | 20      | \$817      |
| <i>STAINLESS STEEL</i>           |                          |         |         |            |
| SPR1026/6RORC                    | 67                       | 6"      | 10      | \$833      |
| SPR1226/5RORC                    | 70                       | 5"      | 12      | \$859      |
| SPR1526/4RORC                    | 73                       | 4"      | 15      | \$913      |
| SPR2026/3RORC                    | 79                       | 3"      | 20      | \$1,008    |
| <b>DOUBLE SIDE LOAD "C" LIFT</b> |                          |         |         |            |
| <i>ALUMINUM</i>                  |                          |         |         |            |
| APRD1026/6RORC                   | 67                       | 6"      | 10      | \$913      |
| APRD1226/5RORC                   | 70                       | 5"      | 12      | \$970      |
| APRD1526/4RORC                   | 74                       | 4"      | 15      | \$1,002    |
| APRD2026/3RORC                   | 81                       | 3"      | 20      | \$1,051    |
| <i>STAINLESS STEEL</i>           |                          |         |         |            |
| SPRD1026/6RORC                   | 87                       | 6"      | 10      | \$1,145    |
| SPRD1226/5RORC                   | 93                       | 5"      | 12      | \$1,283    |
| SPRD1526/4RORC                   | 103                      | 4"      | 15      | \$1,379    |
| SPRD2026/3RORC                   | 118                      | 3"      | 20      | \$1,581    |



In Bread We Trust



Revent Incorporated  
100 Ethel Road West  
Piscataway, NJ 08854



800-822-9642  
732-777-9433  
732-777-1187 Fax



www.revent.com  
info@revent.com

Continuous product development is a Revent policy. Therefore, we reserve the right to change specifications and prices without notice.

# Revent Shipping & Packing Information

LIST PRICING

May 1, 2015

| REVENT MODEL NO.                | LENGTH | WIDTH  | HEIGHT | APPROXIMATE WEIGHT<br>PER SECTION LBS. |
|---------------------------------|--------|--------|--------|--|
| <b>MODEL 703</b>                |        |        |        |  |
| Heat Section                    | 96.5"  | 43.3'  | 86"    | 2,200 lbs                              |
| Front Section                   | 96.5"  | 51.2"  | 98.4"  | 1,760 lbs                              |
| Rear Section                    | 96.5"  | 56.3"  | 98.4"  | 2,200 lbs                              |
| Steam System (Crate)            | 47.2"  | 20"    | 19.7"  | 935 lbs                                |
| Approximate weight with skid:   |        |        |        | 7,095 lbs                              |
| <b>MODEL 620</b>                |        |        |        |  |
| Heat Section                    | 90"    | 37.5"  | 58.7"  | 1,540 lbs                              |
| Front Section                   | 90"    | 37.5"  | 64.6"  | 990 lbs                                |
| Rear Section                    | 90"    | 37.5"  | 64.2"  | 880 lbs                                |
| Steam System (Crate)            | 31.5"  | 16.9"  | 16.5"  | 660 lbs                                |
| Approximate weight with skid:   |        |        |        | 4,070 lbs                              |
| <b>MODEL 724</b>                |        |        |        |  |
| Heat Section                    | 89.75" | 28.4"  | 74.8"  | 1,335 lbs                              |
| Front Section                   | 89.75" | 37.4"  | 63.8"  | 1,195 lbs                              |
| Rear Section                    | 89.75" | 37.4"  | 63.8"  | 840 lbs                                |
| Steam System (Crate)            | 44"    | 15.75" | 17.7"  | 830 lbs                                |
| Approximate weight with skid:   |        |        |        | 4,200 lbs                              |
| Heavy Duty Steam System (Crate) | 31.5"  | 16.9"  | 32.5"  | 1,320 lbs                              |
| <b>MODEL 726</b>                |        |        |        |  |
| Heat Section                    | 90"    | 33.5"  | 60"    | 1,340 lbs                              |
| Oven Section                    | 90"    | 41.5"  | 54.5"  | 1,200 lbs                              |
| Steam System (Crate)            | 33"    | 17.3"  | 17.7"  | 460 lbs                                |
| Approximate weight with skid:   |        |        |        | 3,000 lbs                              |
| Heavy Duty Steam System (Crate) | 33"    | 17.3"  | 17.7"  | 650 lbs                                |
|                                 |        |        |        |  |
|                                 |        |        |        |  |
|                                 |        |        |        |  |
|                                 |        |        |        |  |
|                                 |        |        |        |  |
|                                 |        |        |        |  |



In Bread We Trust



Revent Incorporated  
100 Ethel Road West  
Piscataway, NJ 08854



800-822-9642  
732-777-9433  
732-777-1187 Fax



www.revent.com  
info@revent.com

Continuous product development is a Revent policy. Therefore, we reserve the right to change specifications and prices without notice.

# Revent Shipping & Packing Information

LIST PRICING  
May 1, 2015

| REVENT MODEL NO.          | SHIPPED | SKIDS | LENGTH | WIDTH | HEIGHT | APPROXIMATE WEIGHT<br>LBS. |
|---------------------------|---------|-------|--------|-------|--------|----------------------------|
| <b>PROOFERS</b>           |         |       |        |       |        |                            |
| 7111                      | Skidded | 1     | 86"    | 40"   | 50"    | 605 lbs                    |
| 7112                      | Skidded | 1     | 86"    | 46"   | 50"    | 660 lbs                    |
| 7121                      | Skidded | 1     | 86"    | 44"   | 56"    | 700 lbs                    |
| 7122                      | Skidded | 1     | 86"    | 46"   | 56"    | 830 lbs                    |
| 7123                      | Skidded | 1     | 86"    | 46"   | 56"    | 916 lbs                    |
| 7124                      | Skidded | 1     | 86"    | 46"   | 65"    | 1030 lbs                   |
| 7134                      | Skidded | 3     | 90"    | 46"   | 60"    | 980 lbs                    |
|                           |         |       | 106"   | 45"   | 23"    | 250 lbs                    |
|                           |         |       | 85"    | 58"   | 15"    | 250 lbs                    |
| <b>PROOFERS RETARDERS</b> |         |       |        |       |        |                            |
| 7111                      | Skidded | 2     | 86"    | 40"   | 50"    | 605 lbs                    |
|                           |         |       | 54"    | 52"   | 42"    | 180 lbs                    |
| 7112                      | Skidded | 2     | 86"    | 46"   | 50"    | 660 lbs                    |
|                           |         |       | 54"    | 52"   | 42"    | 180 lbs                    |
| 7121                      | Skidded | 2     | 86"    | 44"   | 61"    | 700 lbs                    |
|                           |         |       | 54"    | 52"   | 42"    | 150 lbs                    |
| 7122                      | Skidded | 2     | 86"    | 46"   | 61"    | 830 lbs                    |
|                           |         |       | 69"    | 52"   | 42"    | 150 lbs                    |
| 7123                      | Skidded | 2     | 86"    | 46"   | 61"    | 916 lbs                    |
|                           |         |       | 69"    | 52"   | 42"    | 150 lbs                    |
| 7124                      | Skidded | 2     | 86"    | 46"   | 69"    | 1030 lbs                   |
|                           |         |       | 85"    | 52"   | 42"    | 150 lbs                    |
|                           |         |       |        |       |        |                            |
| <b>HUMIDIFIERS</b>        |         |       |        |       |        |                            |
| 1xEB10                    | Skidded | 1     | 90"    | 41.5" | 24"    | 278 lbs                    |
| 2xEB10                    | Skidded | 1     | 90"    | 41.5" | 48"    | 375 lbs                    |
| 3xEB10                    | Skidded | 1     | 90"    | 41.5" | 48"    | 472 lbs                    |
| 4xEB10                    | Skidded | 1     | 90"    | 41.5" | 48"    | 569 lbs                    |
| 1xEBK10                   | Skidded | 1     | 90"    | 41.5" | 24"    | 267 lbs                    |
|                           |         |       |        |       |        |                            |
|                           |         |       |        |       |        |                            |
|                           |         |       |        |       |        |                            |
| <b>REVENT DECK OVEN</b>   |         |       |        |       |        | (Without Skid)             |
| 2 Pan 2 deck              | Skidded |       | 47"    | 65"   | 39"    | 956 lbs                    |
| 2 Pan 3 deck              | Skidded |       | 47"    | 65"   | 53"    | 1211 lbs                   |
| 2 Pan 4 deck              | Skidded |       | 47"    | 65"   | 67"    | 1486 lbs                   |
| 3 Pan 2 deck              | Skidded |       | 47"    | 79"   | 39"    | 1024 lbs                   |
| 3 Pan 3 deck              | Skidded |       | 47"    | 79"   | 53"    | 1289 lbs                   |
| 3 Pan 4 deck              | Skidded |       | 47"    | 79"   | 67"    | 1619 lbs                   |



In Bread We Trust



Revent Incorporated  
100 Ethel Road West  
Piscataway, NJ 08854



800-822-9642  
732-777-9433  
732-777-1187 Fax



www.revent.com  
info@revent.com

Continuous product development is a Revent policy. Therefore, we reserve the right to change specifications and prices without notice.